




ProTech-12 Series

Specifications - Page 1 of 3

Model Number	Stair Color	Rough Opening Dimension	Stair Frame Dimension	Tread Width	# of Treads	Unit Weight	Floor-to-Ceiling Height Range	Projection	Landing Space
PT3060-8	Gray	30" X 60"	29 1/2" X 59 1/2"	14"	10	180 lbs.	7' - 10" to 8' - 8"	0"	50"
PT3060-9	Gray	30" X 60"	29 1/2" X 59 1/2"	14"	11	181 lbs.	Over 8' - 8" to 9' - 6"	0"	53"
PT3060-10	Gray	30" X 60"	29 1/2" X 59 1/2"	14"	12	182 lbs.	Over 9' - 6" to 10' - 4"	0"	57"
PT3060-11	Gray	30" X 60"	29 1/2" X 59 1/2"	14"	13	183 lbs.	Over 10' - 4" to 11' - 2'	0"	60"
PT3060-12	Gray	30" X 60"	29 1/2" X 59 1/2"	14"	14	184 lbs.	Over 11' - 2" to 12'	0"	64"


- Other:
- * 75 minute fire rated door
 - * Weight Rating - 350 lbs.
 - * Tread Depth - 4 1/2"





ProTech-12 - Specifications - Page 2

- Door Angle - 75 degrees
- Stair Angle - 70 degrees





ProTech-12 - Specifications - Page 3

Inside Frame Dimensions

