

## Collection Overview

Powder coated white, gray or black steel column sleeves, offered with either laminate wood treads and platform or color matched 3/8" steel treads and platform. The Hayden collection is offered with horizontal stainless steel line rail infill and color matched aluminum handrails and is suitable for loft installations. Either tread option is available with Anti-slip Traction Tread Covers. Adjustable rise from 8 1/2" to 9 1/2" between treads via 1/8" spacers.

Mylene Stairs stands behind our product with a five-year Warranty on everything we sell and a lifetime warranty on metal fabrication (see below for details). You can trust us if you have a problem, we will fix it for you, that's the bottom line. If you have any questions please e-mail us at [info@mylenstairs.com](mailto:info@mylenstairs.com) or call us at (855) 821-1689. More detailed warranty information is available on our Warranty Disclaimer document or on our [www.mylenstairs.com](http://www.mylenstairs.com) web site.

## Color and Finish Options

The Hayden Collection is offered with the following color and finish options to suit your design tastes and specific installation application. The Hayden Collection is recommended for interior installations only.



<b>Column Sleeves</b>	Powder Coated White, Gray or Black Steel
<b>Ballusters Only</b> (Laminate Treads Option)	Powder Coated White, Gray or Black Steel
<b>Treads and Ballusters</b> (Steel Treads Option)	Powder Coated White, Gray or Black Steel
<b>Tread Type</b>	Smooth Steel or Smooth Laminate Wood
<b>Handrail</b>	Powder Coated White, Gray or Black Aluminum
<b>Optional Traction Tread Covers</b>	Black

## Diameter Measurements

The recommended opening should be at least 4" wider than the staircase's diameter

Please refer to the following chart for more diameter measurement information.

Stair Diameter	Floor Opening
42" (3'6")	46"
60" (5'0")	64"





## Walking Path Measurements

The clear walking path is the measurement from the inside of the column to the inside of the handrail and will vary by model and diameter choice.

Please refer to the following chart for more walking path measurement information.

Stair Diameter	Clear Walking Path
42" (3'6")	17"
60" (5'0")	26"



## Height Measurements

The Hayden Collection is offered in various tread counts to cover a multitude of height application. Each tread is adjustable from 8 1/2" to 9 1/2" between treads. Floor to Floor height is measured from the lower floor to the top of the floor above. Please refer to the chart below to find the proper tread count for your installation application.

Tread Count	Floor to Floor Measurements	
	Height Min	Height Max
9	85"	95"
10	93.5"	104.5"
11	102"	114"
12	110.5"	123.5"
13	119"	133"
14	127.5"	142.5"
15	136"	152"

## Elevation Measurements (Continued)

